

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List)

Sheen Tile Polish 1

Note: Blank spaces are not permitted. If any item is not applicable, or no
information is available, the space must be marked to indicate that.

Section I

Supplied by

M3 Technology Inc.

Address (Number, Street, City, State, and Zip Code)

P.O. Box 558 Hull, Ma 02045

Emergency Telephone Number

1-800-POISON1

Telephone Number for Information

(781) 383-3134

Website Address

www.Stonecarecentral.com

Date Prepared November 1, 2000

Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity: Common Name(s) OSHA PEL ACGIH TLV Other Limits %(optional)

CITRIC ACID CAS NO. 77-92-9

MAGNESIUM HEXAFLUOROSILICATE CAS NO. 18972-56-0

3 DIFFERENT GRADES OF

ALUMINUM OXIDE SAME CAS NO. 1344-28-1

CERIUM OXYDE CAS NO. 1306-38-3

Section III - Physical/Chemical Characteristics

Boiling Point

200 degrees C

Specific Gravity (H₂O = 1)

2.7 gr/ml

Vapor Pressure (mm Hg.)

N/A

Melting Point

N/A

Vapor Density (AIR =1)

N/A

Evaporation Rate

N/A

Butyl Acetate = 1)

Solubility in Water

NON SOLUBLE

Appearance and Odor

WHITE POWDER/ODORLESS

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)

N/A

Flammable Limits

LEL

N/A

UEL

N/A

Extinguishing Media

N/A

Special Fire Fighting Procedures

N/A

Unusual Fire and Explosion Hazards

N/A

NON-FLAMMABLE PRODUCT

